

Supporting Information II for

Concise Synthesis of Chafuroside A and B


Takumi Furuta, Miho Nakayama, Hirotaka Suzuki, Hiroko Tajimi,
Makoto Inai, Toshiyuki Wakimoto* and Toshiyuki Kan*

School of Pharmaceutical Sciences, University of Shizuoka and Global COE Program, 52-1 Yada, Suruga-ku, Shizuoka 422-8526, Japan


E-mail: wakimoto@u-shizuoka-ken.ac.jp; kant@u-shizuoka-ken.ac.jp

¹H and ¹³C NMR spectra for compounds, **5A**, **5a**, **4A**, **10**, **1**, **5b**, **4b**, **11**, and **2**.


^1H NMR spectrum of **5A** in CDCl_3 (500 MHz)




^{13}C NMR spectrum of **5A** in CDCl_3 (125 MHz)




^1H NMR spectrum of **5a** in CDCl_3 (500 MHz)




¹³C NMR spectrum of **5a** in CDCl₃ (125 MHz)




¹H NMR spectrum of **4A** in CDCl₃ (500 MHz)


^{13}C NMR spectrum of **4A** in CDCl_3 (125 MHz)




^1H NMR spectrum of **10** in CDCl_3 (500 MHz)





^{13}C NMR spectrum of **10** in CDCl_3 (125 MHz)




^1H NMR spectrum of **1** in CD_3OD (500 MHz)




^{13}C NMR spectrum of **1** in CD_3OD (125 MHz)




^1H NMR spectrum of **5b** in CDCl_3 (500 MHz)




^{13}C NMR spectrum of **5b** in CDCl_3 (125 MHz)




^1H NMR spectrum of **4b** in CDCl_3 (500 MHz)




^{13}C NMR spectrum of **4b** in CDCl_3 (125 MHz)




^1H NMR spectrum of **11** in CDCl_3 (500 MHz)



^{13}C NMR spectrum of **11** in CDCl_3 (125 MHz)



^1H NMR spectrum of **2** in CD_3OD (500 MHz)



^{13}C NMR spectrum of **2** in CD_3OD (125 MHz)

